SAFETY DATA SHEET

Flux ST-501A



Section 1. Identification

GHS product identifier

: Flux ST-501A

Other means of identification

: Not applicable

Label reference #

: Not available.

Product type

: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details

: AIM

9100 Henri Bourassa East

Montreal, QC H1E 2S4 (514) 494-2000

In the United States:

AIM

25 Kenney Drive Cranston, RI 02920 (800) CALL-AIM

Emergency telephone number (with hours of

operation)

: INFOTRAC

North America: (800) 535-5053 International: (352) 323-3500

Section 2. Hazards identification

OSHA/HCS status

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

: SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: Causes severe skin burns and eye damage.

Precautionary statements

Prevention

: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.

Response

: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or physician.

Storage : Store locked up.

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 1/15

Section 2. Hazards identification

Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified

: None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Not applicable

CAS number/other identifiers

CAS number : Not applicable.

Product code : Not available.

| Ingredient name | % | CAS number |
|---|-------------------------------|--------------------------------------|
| zinc chloride Hydrochloric acid ammonium chloride | 20 - 30 10 - 20 10 - 20 | 7646-85-7 7647-01-0 12125-02-9 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

: Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 2/15

Section 4. First aid measures

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes severe burns.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion : Adverse symptoms may include the following:

stomach pains

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

IIIeuia

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

nitrogen oxides

: None known.

halogenated compounds metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 3/15

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 4/15

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-------------------|--|
| zinc chloride | ACGIH TLV (United States, 3/2016). TWA: 1 mg/m³ 8 hours. Form: Fume STEL: 2 mg/m³ 15 minutes. Form: Fume OSHA PEL 1989 (United States, 3/1989). TWA: 1 mg/m³ 8 hours. Form: Fume STEL: 2 mg/m³ 15 minutes. Form: Fume ACGIH (United States, 0/1994). TWA: 1 mg/m³ STEL: 2 mg/m³ NIOSH REL (United States, 10/2013). TWA: 1 mg/m³ 10 hours. Form: Fume STEL: 2 mg/m³ 15 minutes. Form: Fume STEL: 2 mg/m³ 8 hours. Form: Fume OSHA PEL (United States, 2/2013). TWA: 1 mg/m³ 8 hours. Form: Fume OSHA (United States, 0/1989). TWA: 1 mg/m³ STEL: 2 mg/m³ |
| Hydrochloric acid | ACGIH (United States, 0/1994). CEIL: 5 ppm TWA: 5 mg/m³ CEIL: 7.5 mg/m³ NIOSH (United States, 0/1994). TWA: 7 ppm STEL: 10 ppm CEIL: 5 ppm TWA: 2 mg/m³ STEL: 8 mg/m³ CEIL: 7 mg/m³ OSHA (United States, 0/1989). TWA: 8 ppm CEIL: 5 ppm TWA: 7 mg/m³ CEIL: 7 mg/m³ CEIL: 7 mg/m³ ACGIH TLV (United States, 3/2016). C: 2 ppm OSHA PEL 1989 (United States, 3/1989). CEIL: 5 ppm CEIL: 5 ppm CEIL: 5 ppm CEIL: 7 mg/m³ NIOSH REL (United States, 10/2013). CEIL: 5 ppm CEIL: 5 ppm CEIL: 5 ppm CEIL: 5 ppm |
| ammonium chloride | CEIL: 7 mg/m³ ACGIH (United States, 0/1994). TWA: 10 mg/m³ STEL: 20 mg/m³ CEIL: 20 mg/m³ ACGIH TLV (United States, 3/2016). TWA: 10 mg/m³ 8 hours. Form: Fume STEL: 20 mg/m³ 15 minutes. Form: Fume NIOSH REL (United States, 10/2013). TWA: 10 mg/m³ 10 hours. Form: Fume STEL: 20 mg/m³ 15 minutes. Form: Fume NIOSH (United States, 0/1994). TWA: 10 mg/m³ |

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 5/15

Section 8. Exposure controls/personal protection

STEL: 20 mg/m³

OSHA (United States, 0/1989).

TWA: 10 mg/m³ STEL: 20 mg/m³

OSHA PEL 1989 (United States, 3/1989).

TWA: 10 mg/m³ 8 hours. STEL: 20 mg/m³ 15 minutes.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state : Liquid.

Color : Colorless.

Odor : Chlorinated. [Strong]

Odor threshold : Not available.

pH : 2

Melting point : Not available.

Boiling point : Not available.

Flash point : [Product does not sustain combustion.]

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 6/15

Section 9. Physical and chemical properties

Evaporation rate : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available. Vapor density : Not available. **Relative density** : Not available. **Solubility** : Not available. : Not available.

Partition coefficient: noctanol/water

Auto-ignition temperature : Not available. **Decomposition temperature** : Not available. : Not available.

Aerosol product

Viscosity

Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

Chemical stability : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Attacks many metals producing extremely flammable hydrogen gas which can form

explosive mixtures with air.

Reactive or incompatible with the following materials:

alkalis

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|------------|------------|----------|
| zinc chloride | LD50 Oral | Guinea pig | 200 mg/kg | - |
| | LD50 Oral | Mouse | 329 mg/kg | - |
| | LD50 Oral | Rat | 350 mg/kg | - |
| | LD50 Oral | Rat | 350 mg/kg | - |
| Hydrochloric acid | LD50 Oral | Mouse | 151 mg/kg | - |
| • | LD50 Oral | Mouse | 2950 mg/kg | - |
| | LD50 Oral | Rat | 915 mg/kg | - |
| | LDLo Oral | Mouse | 150 mg/kg | - |
| | LDLo Oral | Mouse | 110 mg/kg | - |
| ammonium chloride | LD50 Oral | Mouse | 1300 mg/kg | - |
| | LD50 Oral | Rat | 1650 mg/kg | - |
| | LD50 Oral | Rat | 1650 mg/kg | - |
| | LDLo Oral | Dog | 600 mg/kg | - |

Irritation/Corrosion

Section 11. Toxicological information

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|------------------------|---------|-------|--------------------------|-------------|
| zinc chloride | Skin - Severe irritant | Rabbit | - | 120 hours 1 Percent | - |
| Hydrochloric acid | Eyes - Mild irritant | Rabbit | - | 0.5 minutes 5 milligrams | - |
| | Skin - Mild irritant | Human | - | 24 hours 4 Percent | - |
| ammonium chloride | Eyes - Mild irritant | Rabbit | - | 24 hours 500 milligrams | - |
| | Eyes - Severe irritant | Rabbit | - | 100 milligrams | - |

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Hydrochloric acid | - | 3 | - |

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely

routes of exposure

: Routes of entry not anticipated: Dermal.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes severe burns.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Date of issue/Date of revision: 10/24/2016Date of previous issue: 1/8/2016Version: 0.028/15

Section 11. Toxicological information

Ingestion : Adverse symptoms may include the following:

stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects

: Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : N

: Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Route | ATE value |
|-------|--------------|
| Oral | 3999.6 mg/kg |

Other information

: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure | |
|--------------------------------|-------------------------------------|---|-----------------|--|
| zinc chloride | Acute EC50 26 μg/l | Algae - Navicula incerta | 96 hours | |
| | Acute EC50 34 μg/l Fresh water | Algae - Chlorella vulgaris - Exponential growth phase | 72 hours | |
| | Acute EC50 1.8 mg/l Fresh water | Aquatic plants - Lemna aeguinoctialis | 96 hours | |
| | Acute EC50 100 μg/l Fresh water | Daphnia - Daphnia magna | 48 hours | |
| | Acute LC50 49.99 µg/l Fresh water | Crustaceans - Moina irrasa - Neonate | 48 hours | |
| | Acute LC50 0.027 mg/l Marine water | Fish - Limanda punctatissima - Pre-larvae | 96 hours | |
| | Chronic NOEC 20 µg/l Marine water | Algae - Chlorella sp Exponential growth phase | 72 hours | |
| | Chronic NOEC 1000 µg/l Fresh water | Crustaceans - Procambarus | 21 days | |
| | Chronic NOEC 80 μg/l Fresh water | Daphnia - Daphnia magna - | 21 days | |
| Date of issue/Date of revision | : 10/24/2016 Date of previous issue | : 1/8/2016 Version : | 0.02 9/ | |

Section 12. Ecological information

| | 1 | , |
|-------------------------------------|---|--|
| | Juvenile (Fledgling, Hatchling, | |
| | Weanling) | |
| Chronic NOEC 31.5 µg/l Fresh water | Fish - Oncorhynchus mykiss | 30 days |
| Acute LC50 240000 µg/l Marine water | Crustaceans - Carcinus maenas - | 48 hours |
| | Adult | |
| Acute LC50 282 ppm Fresh water | Fish - Gambusia affinis - Adult | 96 hours |
| Acute EC50 0.07 mg/l Marine water | Algae - Hormosira banksii - | 72 hours |
| | Gamete | |
| Acute LC50 20 μg/l Fresh water | Crustaceans - Macrobrachium | 48 hours |
| | rosenbergii - Post-larvae | |
| Acute LC50 390 µg/l Fresh water | Daphnia - Daphnia magna - | 48 hours |
| | Young | |
| Acute LC50 80 μg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| Chronic EC10 0.03 mg/l Fresh water | Daphnia - Daphnia obtusa | 21 days |
| Chronic NOEC 0.6 mg/l Marine water | Algae - Entomoneis punctulata - | 72 hours |
| | Exponential growth phase | |
| Chronic NOEC 330 µg/l Fresh water | Crustaceans - Crangonyx sp | 21 days |
| | Juvenile (Fledgling, Hatchling, | |
| | Weanling) | |
| Chronic NOEC 0.006 mg/l Fresh water | Fish - Ictalurus punctatus - Fry | 30 days |
| | Acute LC50 240000 µg/l Marine water Acute LC50 282 ppm Fresh water Acute EC50 0.07 mg/l Marine water Acute LC50 20 µg/l Fresh water Acute LC50 390 µg/l Fresh water Acute LC50 80 µg/l Fresh water Chronic EC10 0.03 mg/l Fresh water Chronic NOEC 0.6 mg/l Marine water Chronic NOEC 330 µg/l Fresh water | Chronic NOEC 31.5 μg/l Fresh water Acute LC50 240000 μg/l Marine water Acute LC50 282 ppm Fresh water Acute EC50 0.07 mg/l Marine water Acute LC50 20 μg/l Fresh water Acute LC50 20 μg/l Fresh water Acute LC50 390 μg/l Fresh water Acute LC50 80 μg/l Fresh water Chronic EC10 0.03 mg/l Fresh water Chronic NOEC 0.6 mg/l Marine water Chronic NOEC 330 μg/l Fresh water |

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|------------------------------------|--------|-------|-------------|
| zinc chloride ammonium chloride | -3.2 | 60960 | high low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 10/15

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ADR/RID | IMDG | IATA |
|-------------------------|--|---|---|---|---|--|
| UN number | 2922 | 2922 | 2922 | 2922 | 2922 | 2922 |
| UN proper shipping name | CORROSIVE LIQUID, TOXIC, N.O.S (Hydrochloric acid, Ammonium Bifluoride) | CORROSIVE LIQUID, TOXIC, N.O.S (Hydrochloric acid, Ammonium Bifluoride) | CORROSIVE LIQUID, TOXIC, N.O.S (Hydrochloric acid, Ammonium Bifluoride) | CORROSIVE LIQUID, TOXIC, N.O.S (Hydrochloric acid, Ammonium Bifluoride) | CORROSIVE LIQUID, TOXIC, N.O.S (Hydrochloric acid, Ammonium Bifluoride) | Corrosive toxic liquids n.o.s. (ZINC CHLORIDE, Ammonium bifluoride) |
| Transport | 8 (6.1) | 8 (6.1) | 8 (6.1) | 8 (6.1) | 8 (6.1) | 8 (6.1) |
| hazard class(es) | CORRECTOR | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | (A) | | |
| Packing group | II | II | II | II | II | II |
| Environmental hazards | Yes. | No. | No. | Yes. | Yes. | No. |
| Additional information | This product is not regulated as a marine pollutant when transported on inland waterways in sizes of ≤5 L or ≤5 kg or by road, rail, or inland air in non-bulk sizes, provided the packagings meet the general provisions of §§ 173.24 and 173.24a. Reportable quantity 4545.5 lbs / 2063.6 kg Package sizes shipped in quantities less than the product reportable quantity are not subject to | Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2. 40-2.42 (Class 8), 2.26-2.36 (Class 6). | | The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. Tunnel code (E) | | The environmentally hazardous substance mark may appear if required by other transportation regulations. |

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 11/15

Flux ST-501A **Section 14. Transport information** the RQ (reportable quantity) transportation requirements.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and

the IBC Code

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

> All components are listed or exempted. Clean Water Act (CWA) 307: zinc chloride

Clean Water Act (CWA) 311: zinc chloride; Hydrochloric acid; ammonium chloride

Clean Air Act (CAA) 112 regulated toxic substances: Hydrochloric acid

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**

Clean Air Act Section 602

Class I Substances

Clean Air Act Section 602

Class II Substances

DEA List I Chemicals

(Precursor Chemicals) **DEA List II Chemicals**

(Essential Chemicals)

: Not listed

: Not listed

: Listed

: Not listed

: Listed

SARA 302/304

Composition/information on ingredients

| | | | SARA 302 TPQ | | SARA 304 F | RQ |
|-------------------|---------|------|--------------|-----------|-------------------|-----------|
| Name | % | EHS | (lbs) | (gallons) | (lbs) | (gallons) |
| Hydrochloric acid | 10 - 20 | Yes. | 500 | - | 5000 | - |

SARA 304 RQ : 30303 lbs / 13757.6 kg

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|-------------------|---------|--------|----------------------------------|----------|--|--|
| zinc chloride | 10 - 20 | No. | No. | No. | Yes. | No. |
| Hydrochloric acid | | No. | No. | No. | Yes. | No. |
| ammonium chloride | | No. | No. | No. | Yes. | No. |

SARA 313

Section 15. Regulatory information

| | Product name | CAS number | % |
|---------------------------------|-------------------|------------|---------|
| Form R - Reporting requirements | zinc chloride | 7646-85-7 | 20 - 30 |
| | Hydrochloric acid | 7647-01-0 | 10 - 20 |
| | ammonium chloride | 12125-02-9 | 10 - 20 |
| Supplier notification | zinc chloride | 7646-85-7 | 20 - 30 |
| | Hydrochloric acid | 7647-01-0 | 10 - 20 |
| | ammonium chloride | 12125-02-9 | 10 - 20 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: zinc chloride; Hydrochloric acid; ammonium

chloride

New York : The following components are listed: Zinc chloride; Hydrochloric acid; Ammonium

chloride

New Jersey : The following components are listed: zinc chloride; Hydrochloric acid; ammonium

chloride

Pennsylvania : The following components are listed: zinc chloride; Hydrochloric acid; ammonium

chloride

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Europe : All components are listed or exempted.

Japan : Japan inventory (ENCS): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

Malaysia : All components are listed or exempted.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

Taiwan : All components are listed or exempted.

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 13/15

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of printing : 10/24/2016 Date of issue/Date of : 10/24/2016

revision

Date of previous issue : 1/8/2016

Version : 0.02

Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References

-ACGIH, Threshold Limit Values, 1994-1995. -Canada Gazette Part II, Vol. 122, No. 2
Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient
Disclosure List". -CFR29, OSHA's Permissible Exposure Limits, revision July, 1993. CFR29, part 1910.1200, Hazard Communication. -CHEMTOX database -Components'
manufacturer's Material Safety Data Sheet. -CRC Handbook of chemistry and physics,
67 th edition, CRC Press inc., Boca Raton, Florida. -CSST (Comission de Santé et
Sécurité au Travail), document #RT-12: Classification of Certain Chemical Substances.
-IATA, Dangerous Goods Regulations, 37th edition (January 1, 1996) -NFPA, Fire
Protection Guide to Chemical Hazards, 11th edition. -NIOSH, Pocket Guide to
Chemical Hazards, revision June 1994. Sigma-Alrich handbook of fine chemicals, 1998
-TSCA (Toxic Substance Contral Act), Chemical Substance Inventory List, 1985.

Indicates information that has changed from previously issued version.

Notice to reader

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 14/15

Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 10/24/2016 Date of previous issue : 1/8/2016 Version : 0.02 15/15